

## **BLANK PAGE**



# Indian Standard SPECIFICATION FOR RAYON VELVET

REAFFIRMED 2006

Second Reprint SEPTEMBER 1991

(Incorporating Amendment No. 1)

UDC 677.46.064.5

© Copyright 1980

BUREAU OF INDIAN STANDARDS MANAK BHAVAN, 9 BAHADUR SHAH ZAFAR MARG NEW DELHI 110002

### Indian Standard SPECIFICATION FOR **RAYON VELVET**

Man-M: Fibre and Fabric Sectional Committee, TDC 10

Chairman

SHRI D. N. SHROFF

Members

SHRI S. ARUMUGAM SHRI P. S. HARIHARAKRISHNAN

( Alternate ) DR A. N. BOSE

SHRIS, K. BOSE

DR E. D. DARUVAL

SHRI O. P. DHAWAN

SHRI I. B. DUTT

SHRI D. H. VORA ( Alternate )

SHRI M. A. EKAMBARAM SHRI K. C. BHANDARI ( Alternate )

Shri N. C. Jain Dr M. P. Khera

SHRI M. P. SINGH ( Alternate )

SHRI S. KRISHNAN SHRI R. KUNIUR

SHRI LAXMICHAND DULABHJI SHRI S. P. MANDELIA

SHRI K. MANIYANNAN SHRI I. H. PAREKE

SHRI A. S. MEHTA ( Alternate )

DR M. D. PAREKH SHRI J. G. PARIKH

SHRI G. R. PODÁR SHRI J. G. PARIKH ( Alternate )
DR S. I. TARAPOREWA...A

SHRI S. J. VALLADARES
SHRI S. M. CHAKRABORTY,
Director (Tex)

Representing

Silk & Art Silk Mills Association Ltd. Bombay

The Travancore Rayons Ltd. Rayonpuram

Central Institute Fisheries Technology.

Ernakulam

National Test House, Calcutta Government of Uttar Pradesh

The Silk & Rayon Textiles Export Promotion Council, Bombay

Office of the Textile Commissioner, Bombay

The Sirsilk Limited, Sirpur-Kaghaznagar

Ministry of Defence (DGI)

Directorate General of Technical Development, New Delhi

Textiles Committee, Bombay

Imperial Chemical Industries (India) Private Ltd,

The Silk Merchants' Association, Bombay Association of Man-Made Fibre Industry, Bombay Shri Ram Institute for Industrial Research, Delhi

The Gwalior Rayon Silk Mfg (Wvg) Co Ltd,

Nagda

The National Rayon Corporation Ltd, Bombay The Silk & Art Silk Mills' Research Association,

Bombay

Silk & Art Silk Mills Association Ltd, Bombay

The National Rayon Corporation Ltd, Bombay

The Millowners' Association, Bombay Director General, ISI (Ex-officio Member)

Secretary SHRI P. VENKATARAMAN Deputy Director (Tex), ISI

(Continued on page 2)

BUREAU OF INDIAN STANDARDS MANAK BHAVAN. 9 BAHADUR SHAH ZAFAR MARG **NEW DELHI 110002** 

#### IS: 4439 - 1967

#### ( Continued from page 1 )

#### Man-Made Fibre Fabrics Subcommittee, TDC 10:2

Connener

Representing

SHRI D. N. SHROFF

Silk & Art Silk Milk' Association Ltd, Bombay

Members

SHRI S. ARUMUGAM

The Travançore Rayons Ltd, Rayonpuram

SHRI T. KRISHMAMACHARI ( Alternate )

SHRI ASHOK RAMANLAL SHRI O. P. DHAWAN The New Vinod Silk Mills Private Ltd, Bombay
The Silk & Rayon Textiles Export Promotion

Council, Bombay
The Sirsilk Limited, Sirpur-Kaghaznagar

Shri M. A. Ekambaran

SHRI K. C. BHANDARI ( Alternate )

SHRI M. S. KAPADIA

SHRI V. G. BROKER ( Alternate )

SHRI RAMCHAND KHANNA

Dr M. P. Khera

Jasmine Mills Private Ltd, Bombay

Khanna Silk Mills Private Ltd, Bombay Directorate General of Technical Development,

New Delhi

SHRI JASTINDER SINGH ( Alternate )
SHRI R. P. MEHRA

SHRI KRISHNAKUMAR M. MEHTA SHRI SHANTILAL M. MEHTA

SHRI ŞURENDRA M. MEHTA SİİK SHRI J. G. VAKHARIA ( Alternate ) DR RAM K. MULCHANDANI The

SHRI J. G. PARIKH

SHRI I. P. PODDAR

SHRI S. K. GUPTA ( Alternate )

SHRI B. SIRKAR

SHRI SHASHIKANT J. VAKHARIA

Silk & Art Silk Mills' Association Ltd, Bombay

The Ambika Silk Mills Co Ltd, Bombay

Paragon Textile Mills, Bombay Silk & Art Silk Mills' Association Ltd, Bombay

The Nanikram Sobhraj Mills Private Ltd, Ahmedabad

The Silk & Art Silk Mills' Research Association, Bombay

The Calcutta Silk Mfg Co Ltd, Calcutta

Shree Shakti Mills Ltd, Bombay Standard Silk Milk, Surat

# Indian Standard SPECIFICATION FOR RAYON VELVET

#### O. FOREWORD

- 0.1 This Indian Standard was adopted by the Indian Standards Institution on 29 December 1967, after the draft finalized by the Man-Made Fibre and Fabric Sectional Committee had been approved by the Textile Division Council.
- 0.2 Rayon velvet is quite a popular export item among rayon textiles. Noting the increase in demand for rayon textiles in overseas countries, the Sectional Committee felt that an Indian Standard on the subject should be formulated covering the most popular qualities of velvet being exported in bulk.
- **0.3** This standard contains clause 3.2.1, and col 8 and 9 of Table 1 which call for agreement between the buyer and the seller for permitting him to use his option for selection to suit his requirements.
- 0.4 For the purpose of deciding whether a particular requirement of this standard is complied with, the final value, observed or calculated, expressing the result of a test, shall be rounded off in accordance with IS: 2-1960\*. The number of significant places retained in the rounded off value should be the same as that of the specified value in this standard.

#### 1. SCOPE

- 1.1 This standard prescribes the constructional details and other particulars of 7 varieties of rayon velvet, dyed.
- 1.2 This standard does not specify general appearance, feel, etc, of velvet (see also 3.2).

#### 2. MANUFACTURE

- 2.1 Yara Continuous filament viscose rayon yarn shall be used in the manufacture of rayon velvet. The approximate denier of warp, pile and west yarn used in the manufacture of velvet is given in Table 1.
- 2.2 Fabric The fabric shall be woven in plain or twill weave. It should be uniformly woven with firm selvedges and should be free from weaving

<sup>\*</sup>Rules for rounding off numerical values ( revised ).

#### IS: 4439 - 1967

and processing defects. No uncut pile ends should be visible on the surface of the fabric. The height of cut pile should be uniform throughout the fabric.

#### 3. REQUIREMENTS

- 3.1 Construction Rayon velvet shall comply with the requirements of Table 1.
- 3.2 Sealed Sample If in order to illustrate or specify the general appearance, feel and other indeterminable characteristics of rayon velvet, a sample has been agreed upon and sealed, the supply shall be in conformity with the sample in such respects.
- 3.2.1 The custody of the sealed sample shall be a matter of prior agreement between the buyer and the seller.

#### 4. PACKING

4.1 Rayon velvet shall be packed in accordance with the procedure laid down either in IS: 2194-1963\* or IS: 2195-1964† as required.

#### 5. MARKING

- 5.1 Rayon velvet shall be marked with the following:
  - a) Name of the material;
  - b) Manusacturer's name, initials or trade-mark;
  - c) Width and length of piece;
  - d) Month and year of manufacture; and
  - e) Not fast to washing.
  - 5.1.1 Rayon velvet may also be marked with the ISI Certification Mark.

Note — The use of the ISI Certification Mark is governed by the provisions of the Indian Standards Institution (Certification Marks) Act and the Rules and Regulations made thereunder. The ISI Mark on products covered by an Indian Standard conveys the assurance that they have been produced to comply with the requirements of that standard under a well-defined system of inspection, testing and quality control which is devised and supervised by ISI and operated by the producer. ISI marked products are also continuously checked by ISI for conformity to that standard as a further safeguard. Details of conditions under which a licence for the use of the ISI Certification Mark may be granted to manufacturers or processors, may be obtained from the Indian Standards Institution.

<sup>\*</sup>Code for seaworthy packaging of man-made fibre fabrics.

<sup>†</sup>Code for inland packaging of man-made fibre fabrics and man-made fibre yarns.

TABLE 1 PARTICULARS OF RAYON VELVET

(Clauses 2.1 and 3.1)

Warp   File   Weft   Ground   File   Min     (2)   (3)   (4)   (5)   (6)   (7)   (8)   (9)     (2)   (3)   (4)   (5)   (6)   (7)   (8)   (9)     (3)   (4)   (1)   (4)   (5)   (6)   (7)   (8)   (9)     (4)   (4)   (4)   (1)   (4)   (4)   (4)   (4)   (4)   (4)     (5)   (6)   (7)   (7)   (7)   (8)   (9)     (6)   (1)   (1)   (1)   (1)   (1)   (1)   (1)     (6)   (1)   (1)   (1)   (1)   (1)   (1)   (1)     (6)   (1)   (1)   (1)   (1)   (1)   (1)   (1)     (6)   (1)   (1)   (1)   (1)   (1)   (1)     (6)   (1)   (1)   (1)   (1)   (1)   (1)     (6)   (1)   (1)   (1)   (1)   (1)   (1)     (6)   (1)   (1)   (1)   (1)   (1)   (1)     (6)   (1)   (1)   (1)   (1)   (1)     (6)   (1)   (1)   (1)   (1)   (1)   (1)     (6)   (1)   (1)   (1)   (1)   (1)     (6)   (1)   (1)   (1)   (1)   (1)     (6)   (1)   (1)   (1)   (1)   (1)     (6)   (1)   (1)   (1)   (1)     (7)   (1)   (1)   (1)   (1)     (7)   (1)   (1)   (1)     (7)   (1)   (1)   (1)   (1)     (7)   (1)   (1)   (1)   (1)     (7)   (1)   (1)   (1)   (1)     (7)   (1)   (1)   (1)   (1)     (7)   (1)   (1)   (1)   (1)     (7)   (1)   (1)   (1)   (1)     (7)   (1)   (1)   (1)   (1)     (7)   (1)   (1)   (1)   (1)     (7)   (1)   (1)   (1)   (1)     (7)   (1)   (1)   (1)   (1)     (7)   (1)   (1)   (1)   (1)     (7)   (1)   (1)   (1)   (1)   (1)     (7)   (1)   (1)   (1)   (1)   (1)     (7)   (1)   (1)   (1)   (1)   (1)     (7)   (1)   (1)   (1)   (1)   (1)   (1)     (7)   (1)   (1)   (1)   (1)   (1)   (1)   (1)     (7)   (1)   (1)   (1)   (1)   (1)   (1)   (1)   (1)     (8)   (1)   (1)   (1)   (1)   (1)   (1)   (1)   (1)   (1)   (1)   (1)   (1)   (1)   (1)   (1)   (1)   (1)   (1)   (1)   (1)   (1)   (1)   (1)   (1)   (1)   (1)   (1)   (1)   (1)   (1)   (1)   (1)   (1)   (1)   (1)   (1)   (1)   (1)   (1)   (1)   (1)   (1)   (1)   (1)   (1)   (1)   (1)   (1)   (1)   (1)   (1)   (1)   (1)   (1)   (1)   (1)   (1)   (1)   (1)   (1)   (1)   (1)   (1)   (1)   (1)   (1)   (1)   (1)   (1)   (1)   (1)   (1)   (1)   (1)   (1)   (1)   (1)   (1)   (1)   (1)   (1)   (1)   (1)   (1)	VARIETY	COUNT	COUNT OF YARN APPROXIMATE	OXIMATE	Enns/dm		Picks/dm	Picks/dm Weight PER	Wibtra	LENGTH
11 tex	į	Warp	Pile	Welt	Ground	Pile	•	Min	j	•
11   tex	Ξ	8	ව	€	(3)	9)	9	(9)	ව	(10)
11 tex	-	11 tex (or 100d)	11 tex ( or 100d )	11 tex (or 100d)	296	148	350	160	7 102 102	nice
11 tex   17 tex   11 tex   280   140   330   186   En fig.     13 tex   17 tex   17 tex   17 tex   17 tex   17 tex   17 tex   17 tex   17 tex   17 tex   17 tex   188   330   210   Edd   E	2	11 tex (or 100d)	17 trx (or 150d)	17 fcx (or 150d)	280	₹	330	206	y 06 t	d salt
13 tex   13 tex   13 tex   13 tex   13 tex   13 tex   13 tex   13 tex   13 tex   13 tex   13 tex   13 tex   13 tex   13 tex   13 tex   13 tex   13 tex   13 tex   17 tex   17 tex   17 tex   17 tex   17 tex   17 tex   17 tex   17 tex   17 tex   17 tex   17 tex   17 tex   17 tex   188   330   210   Edit   <b>6</b>	11 tex (or 100d)	17 tex (or 150d)	11 tex (or 100d)	280	<del>2</del>	330	186	cen (lds::	seller veen	
13 tex   13 tex   13 tex   13 tex   13 tex   13 tex   13 tex   13 tex   17 tex   17 tex   17 tex   17 tex   17 tex   17 tex   17 tex   17 tex   17 tex   17 tex   17 tex   17 tex   17 tex   17 tex   17 tex   17 tex   17 tex   17 tex   17 tex   17 tex   17 tex   17 tex   17 tex   17 tex   17 tex   17 tex   17 tex   17 tex   17 tex   17 tex   17 tex   17 tex   17 tex   17 tex   17 tex   17 tex   17 tex   17 tex   17 tex   17 tex   17 tex   18 tex   1961	•	13 tex (or 120d)	13 tex (or 120d)	13 tex (or 120d)	234	116	310	166	betw prefe	petr tpc
13 tex   17 tex   17 tex   312   188   330   210   E   E   E   E   E   E   E   E   E	'n	13 tex (or 120d)	13 tcx (or 120d)	13 tex ( or 120d )	296	124	360	186	ed to seller,	os ba
33 tex 33 tex 33 tex 296 124 260 306 2 3 3 4 5 5 5 5 5 5 5 5 5 5 5 5 5 5 5 5 5	9	13 tex (or 120d)	17 tex (or 150d)	17 tex (or 150d)	312	188	330	210	agree andi l	agree
CE +5.0 +5.0 +5.0	7	33 tex (or 300d)	33 tex (or 300d)	33 tex ( or 300d)	736	124	260	908	eA ons	۳V
7.1 of 7.2 of 7.1.1 of 1S: 1963- 1S: 1964- IS 1961+ 1961+ 1961+	TOLERANCE PERCENT	ı	ı	-	+5·0 -2·5	+5.0	+5.0	1	7.4	1
					7.i of IS: 1963- 1961*		7.2 of IS: 1963- 1961*	7.1.1 of IS: 1964- 1961†	7.2 of IS: 1954- 1961‡	6.4 of IS: 1954 1961

Methods for determination of weight per square metre and weight per linear metre of fabrics. \*Method for determination of ends and picks per unit length in woven fabrics.

Methods for determination of dimensions of fabrics.

#### IS: 4439 - 1967

#### 6. SAMPLING

- 6.1 Lot The quantity of rayon velvet of the same variety delivered to a buyer against one despatch note shall constitute the lot.
- 6.2 The conformity of the lot shall be determined on the basis of the tests carried out on the samples selected from it.
- 6.3 Unless otherwise agreed to between the buyer and the seller the number of pieces selected at random from a lot shall be as given below:

Lot Size	Sample Size
Up to 50	3
51 ,, 150	5
151 ,, 300	8
301 and above	13

- 6.4 The pieces selected according to 6.3 shall be tested for ground and pile ends and picks per decimetre weight per square metre, and width and length.
- 6.5 Criteria for Conformity The lot shall be declared conforming to the requirements of this standard if all the pieces tested according to 6.4 satisfy the relevant requirements for each of the characteristics.

### BUREAU OF INDIAN STANDARDS

Headquarters:			
Manak Bhavan, 9 Bahadur Shah Zafar Marg, NEW DELHI	1 1000	)2	
Telephones: 331 01 31, 331 13 75  Telegrams: N ( Common to	Ianaks	sans	
Regional Offices:	Tel	leph	one
Central : Manak Bhavan, 9 Bahadur Shah Zafar Marg, NEW DELHI 110002	(331  331		
*Eastern : 1/14 C. I. T. Scheme VII M, V. I. P. Road, Maniktola, CALCUTTA 700054		3 24	
Northern: SCO 445-446, Sector 35-C, CHANDIGARH 160036	1 3	18	41
Southern: C. I. T. Campus, MADRAS 600113	₹41	24   25   29	19
†Western : Manakalaya, E9 MIDC, Marol, Andheri (East), BOMBAY 400093	632	92	95
Branch Offices:			
'Pushpak', Nurmohamed Shaikh Marg, Khanpur, AHMADABAD 380001		63 63	
‡Peenya Industrial Area 1st Stage, Bangalore Tumkur Roa BANGALORE 560058	d (38	49	55
Gangotri Complex, 5th Floor, Bhadbhada Road, T. T. Nagai BHOPAL 462003	r, <b>6</b>	67	
Plot No. 82/83, Lewis Road, BHUBANESHWAR 751002 53/5, Ward No. 29, R.G. Barua Road, 5th Byelane, GUWAHATI 781003		36 31	-
5-8-56C L, N. Gupta Marg ( Nampally Station Road ), HYDERABAD 500001	23	10	83
R14 Yudhister Marg, C Scheme, JAIPUR 302005	16		32
117/418 B Sarvodaya Nagar, KANPUR 208005		68 82	
Patliputra Industrial Estate, PATNA 800013 T.C. No. 14/1421. University P.O., Palayam TRIVANDRUM 695035	`6 ∫6	23 21 21	05 04
Inspection Offices ( With Sale Point ):			
Pushpanjali, First Floor, 205-A West High Court Road, Shankar Nagar Square, NAGPUR 440010	2	51	71
Institution of Engineers (India) Building, 1332 Shivaji Naga PUNE 411005	ar, 5	24	35

<sup>\*</sup>Sales Office in Calcutta is at 5 Chowringhee Approach, P. O. Princep 27 68 00 Street, Calcutta 700072

<sup>†</sup>Sales Office in Bombay is at Novelty Chambers, Grant Road, 89 65 28 Bombay 400007

<sup>‡</sup>Sales Office in Bangalore is at Unity Building, Narasimharajá Square, 22 36 71 Bangalore 560002